# State of California AIR RESOURCES BOARD

#### **EXECUTIVE ORDER A-4-249**

## Relating to Certification of New Heavy-Duty Engines and Vehicles

### INTERNATIONAL TRUCK AND ENGINE CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and emission control system produced by the manufacturer are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Model Year: 2001

Fuel Type: Diesel

Engine Family	•	cement Subic Inches	Exhaust Emission Control Systems and Special Features
1NVXH0530ACT (DT530)	8.7	530	Turbocharger Charge Air Cooler Electronic Control Module Direct Diesel Injection Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards (Title 13, California Code of Regulations, Section 1956.8) and certification exhaust emission values for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP"):

	Total <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Particulate <u>Matter</u>
Standard	1.3	15.5	4.0	0.05
Certification	0.04	1.1	3.9	0.05

#### INTERNATIONAL TRUCK AND ENGINE CORPORATION

EXECUTIVE ORDER A-4-249 (Page 2 of 2)

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified for use in urban buses.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

R. B. Summerfield, Whief

Mobile Source Operations Division

Post-it® Fax Note 7671	Date # of pages ▶ >
To K. Mead	From Tom Chay
Co./Dept.	Co.
Phone # 916 - 323 - 3423	Phone #
Fax# 3227264	Fax #



Engine Model Symmary Form

International E. O. # A-4-249 Manufacturer:

On-highway HDDE Engine category:

1NVXH0530ACT EPA Engine Family:

DT 530 Mfr Family Name: **New Submission** Process Code:

8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	Advertised         Average         Average           280 @ 2000         168         113         900 @ 1300         172         74         DI, ECM, TC,           CAC, OC         CAC, OC         CAC, OC         CAC, OC         CAC, OC
7.Fuel Rate: mm/stroke@peak torque (lbs	Average 172
6.Torque @ RPM (SEA Gross)	Advertised 900 @ 1300
I Rate: 5.Fuel Rate: @ peak HP (lbs/hr) @ peak HP sel only) (for diesels only)	Average 113
<ul><li>4.Fuel Rate: mm/stroke @ peak HP (fcr diesel only)</li></ul>	Average 0 168
3.BHP@RPM (SAE Gross)	Advertised 280 @ 2000
1.Engine Code 2.Engine Model	CT280
1.Engine Code	CT280